



B-1 LEVEL QUANTITY SCHEDULE	
SURFACE AREA	1,500 SQUARE FEET

LEGEND	
	DUST CONTROL AREA

#### NOTES

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE HEPA VACUUMING AND WET WIPING OF ALL SURFACES IN THIS AREA INCLUDING TRAILER, DUCTWORK AND CONDUITS.
2. AREA SHALL BE ISOLATED WITH WARNING TAPE AND POLYETHYLENE SHEETING, IN ADDITION TO THE HPLA VACUUM FOR CLEANING. A LARGE HEPA VACUUM SHALL BE USED FOR NEGATIVE AIR PRESSURE. WORKERS SHALL WEAR PERSONAL PROTECTIVE EQUIPMENT AND APPROPRIATE RESPIRATORY PROTECTION. A REMOTE DECONTAMINATION UNIT SHALL BE USED.

Sheet 10 of 10

WORLD TRADE CENTER  
01/27/99

*[Signature]*  
ENGINEERING PROGRAM MANAGER  
WORLD TRADE

*[Signature]*  
CHIEF ENVIRONMENTAL ENGINEER

No. Date Revision Approved

ENGINEERING DEPARTMENT

WORLD  
TRADE  
CENTER

ENVIRONMENTAL  
Title

B1/B2 LEVELS

FIREPROOFING ABATEMENT  
AND REPLACEMENT

DUST CONTROL PLAN

B1 LEVEL

This drawing subject to conditions in Contract. All inventions, ideas, designs and methods herein are reserved to Port Authority and may not be used without its written consent.

BMS SAM BMS  
Designed by Drawn by Checked by

8/31/99 N.T.S.  
Date Scale

WTC 881.073

Contract Number Drawing Number

WTC 881.073 V-10